



sans aiguille

metric EP	USP	longueur		référence
2	3/0	150 cm	<i>non coloré</i>	1420 0015
3	2/0	150 cm	<i>non coloré</i>	1430 0015
3,5	0	150 cm	<i>non coloré</i>	1435 0015
4	1	150 cm	<i>non coloré</i>	1440 0015
5	2	150 cm	<i>non coloré</i>	1450 0015
6	3&4	150 cm	<i>violet</i>	1460 0015



aiguille ronde

1/2  
cercle

HR 17 mm



1	5/0	75 cm	<i>non coloré</i>	1410 0117
1,5	4/0	75 cm	<i>non coloré</i>	1415 0117
2	3/0	75 cm	<i>non coloré</i>	1420 0117

HR 22 mm



1,5	4/0	75 cm	<i>non coloré</i>	1415 0122
2	3/0	75 cm	<i>non coloré</i>	1420 0122
3	2/0	75 cm	<i>non coloré</i>	1430 0122

HR 26 mm



2	3/0	75 cm	<i>non coloré</i>	1420 0126
3	2/0	75 cm	<i>non coloré</i>	1430 0126

HR 30 mm



2	3/0	75 cm	<i>non coloré</i>	1420 0130
3	2/0	75 cm	<i>non coloré</i>	1430 0130
3,5	0	75 cm	<i>non coloré</i>	1435 0130

HR 36 mm



3	2/0	75 cm	<i>non coloré</i>	1430 0136
3,5	0	90 cm	<i>non coloré</i>	1435 0136
4	1	90 cm	<i>non coloré</i>	1440 0136

HR 40 mm









3	2/0	75 cm	<i>non coloré</i>	1430 0140
3,5	0	90 cm	<i>non coloré</i>	1435 0140
4	1	90 cm	<i>non coloré</i>	1440 0140
5	2	90 cm	<i>non coloré</i>	1450 0140

HR 48 mm



3,5	0	90 cm	<i>non coloré</i>	1435 0148
4	1	90 cm	<i>non coloré</i>	1440 0148
5	2	90 cm	<i>non coloré</i>	1450 0148

		metric EP	USP	longueur		référence
 aiguille ronde pointe tranchante 1/2 cercle	HRT 26 mm	3,5	0	75 cm	<i>non coloré</i>	1435 0526
						
	HRT 36 mm	3	2/0	90 cm	<i>non coloré</i>	1430 0536
		3,5	0	90 cm	<i>non coloré</i>	1435 0536
 aiguille ronde pointe tranchante 3/8 cercle	DRT 16 mm	2	3/0	75 cm	<i>non coloré</i>	1420 0416
						
 aiguille triangulaire 3/8 cercle	DS 12 mm	0,7	6/0	75 cm	<i>non coloré</i>	1407 1512
		1	5/0	75 cm	<i>non coloré</i>	1410 1512
		1,5	4/0	75 cm	<i>non coloré</i>	1415 1512
	DS 16 mm	2	3/0	45 cm	<i>non coloré</i>	1420 1516
						
	DS 19 mm	1,5	4/0	75 cm	<i>non coloré</i>	1415 1519
		2	3/0	75 cm	<i>non coloré</i>	1420 1519
	DS 24 mm	2	3/0	75 cm	<i>non coloré</i>	1420 1524
		3	2/0	75 cm	<i>non coloré</i>	1430 1524
	DS 26 mm	2	3/0	75 cm	<i>non coloré</i>	1420 1526
		3	2/0	75 cm	<i>non coloré</i>	1430 1526

		metric EP	USP	longueur	référence
 aiguille triangulaire  1/2 cercle 	<b>HS 17 mm</b> 	1,5	4/0	45 cm	<i>non coloré</i> 1415 1417
		2	3/0	45 cm	<i>non coloré</i> 1420 1417
 aiguille triangulaire  droite 	<b>GS 60 mm</b> 	2	3/0	75 cm	<i>non coloré</i> 1420 2160