


DACLON NYLON

DACLON
NYLON



Type	Monofilament
Composition	Extrusion of polyamide 6.0 or 6.6
Coating	None
Colour	Blue Black
Tissue reaction	Minimal
Absorption	Non absorbable, gradually encapsulated by connective tissue. The thread mass diminishes, approximately 10% a year by rupture of chemical links (hydrolytic action).
Presentation	Box with 12 sutures

*For quality
&
safety*

smi

www.sutures.be

DACLON

NYLON

CHARACTERISTICS

- ☑ High tensile strength, non absorbable
- ☑ Synthetic
- ☑ Monofilament with microscopic uniform diameter
- ☑ Pliability and softness
- ☑ Hermetically sealed packing

BENEFITS











- Excellent and permanent tissue support
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down
- Good handling properties
- Easy and secure knotting
- Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation

Daclon Blue
 especially in Skin closure
 General surgery
 Plastic surgery
 Gastrointestinal surgery
 Gynaecology
 Obstetrics
 Orthopaedics

Daclon Black
 especially in Plastic surgery
 Ophthalmic surgery

Round bodied taper point

		Metric	USP	Length	Color	Order number
HR 16 mm		1	5/0	75 cm	black	9100116
		1.5	4/0	75 cm	blue	9150116
HR 20 mm		0.7	6/0	75 cm	black	9070120
		1	5/0	75 cm	black	9100120
		1.5	4/0	75 cm	blue	9150120
		2	3/0	75 cm	blue	9200120
		3	2/0	75 cm	blue	9300120
HR 22 mm		3	2/0	75 cm	blue	9300122
HR 26 mm		1.5	4/0	75 cm	blue	9150126
		2	3/0	75 cm	blue	9200126
		3	2/0	75 cm	blue	9300126
		3.5	0	75 cm	blue	9350126
		4	1	75 cm	blue	9400126
HR 30 mm		3	2/0	75 cm	blue	9300130
		3.5	0	75 cm	blue	9350130
		4	1	75 cm	blue	9400130
HR 37 mm		3	2/0	75 cm	blue	9300137
		3.5	0	75 cm	blue	9350137
HR 40 mm		4	1	75 cm	blue	9400137
		4	1	75 cm	blue	9400140
HR 40 mm		3	2/0	75 cm	blue	9300140
		3.5	0	75 cm	blue	9350140
		4	1	75 cm	blue	9400140
HR 40 mm		4	1	75 cm	blue	9400140
		5	2	75 cm	blue	9500140
HR 50 mm		4	1	100 cm	blue	9400150

1/2 Circle




Round bodied taper point loop

Metric **USP** **Length** **Order number**

1/2 Circle 	HR 30 mm 	3.5	0	150 cm	<i>blue</i>	9350930
		4	1	150 cm	<i>blue</i>	9400930
	HR 35 mm 	3.5	0	150 cm	<i>blue</i>	9350935
		4	1	150 cm	<i>blue</i>	9400935
	HR 40 mm 	3.5	0	150 cm	<i>blue</i>	9350940
		4	1	150 cm	<i>blue</i>	9400940
	HR 50 mm 	3.5	0	150 cm	<i>blue</i>	9350950
		4	1	150 cm	<i>blue</i>	9400950

Round bodied taper point double armed


Metric **USP** **Length** **Order number**

1/2 Circle 	2 x HR 65 mm 	3	2/0	90 cm	<i>blue</i>	9300165-2
--	---	---	-----	-------	-------------	-----------

Reverse cutting



3/8 Circle













		Metric	USP	Length		Order number
DS 12 mm		0.5	7/0	75 cm	<i>black</i>	9051512
		0.7	6/0	75 cm	<i>black</i>	9071512
		1	5/0	75 cm	<i>black</i>	9101512
		1.5	4/0	75 cm	<i>blue</i>	9151512
DS 12 mm Easy Pass		0.7	6/0	50 cm	<i>black</i>	9071512P
		1	5/0	50 cm	<i>black</i>	9101512P
		1.5	4/0	50 cm	<i>blue</i>	9151512P
DS 16 mm		0.7	6/0	45 cm	<i>black</i>	9071516-45
		0.7	6/0	75 cm	<i>black</i>	9071516
		1	5/0	45 cm	<i>black</i>	9101516-45
		1	5/0	75 cm	<i>black</i>	9101516
		1.5	4/0	45 cm	<i>blue</i>	9151516-45
		1.5	4/0	75 cm	<i>blue</i>	9151516
DS 16 mm Easy Pass		0.7	6/0	50 cm	<i>black</i>	9071516P
		1	5/0	50 cm	<i>black</i>	9101516P
		1.5	4/0	50 cm	<i>blue</i>	9151516P
DS 16 mm black		1	5/0	75 cm	<i>black</i>	9101516VB
DS 19 mm		1	5/0	45 cm	<i>black</i>	9101519-45
		1	5/0	75 cm	<i>black</i>	9101519
		1.5	4/0	45 cm	<i>blue</i>	9151519-45
		1.5	4/0	75 cm	<i>blue</i>	9151519
		2	3/0	45 cm	<i>blue</i>	9201519-45
		2	3/0	75 cm	<i>blue</i>	9201519
DS 19 mm Easy Pass		1.5	4/0	50 cm	<i>blue</i>	9151519P
		2	3/0	50 cm	<i>blue</i>	9201519P
		3	2/0	50 cm	<i>blue</i>	9301519P
DS 19 mm black		1	5/0	75 cm	<i>black</i>	9101519VB
		1.5	4/0	75 cm	<i>blue</i>	9151519VB

Reverse cutting



Metric USP Length Order number

DS 24 mm		1	5/0	75 cm	<i>black</i>	9101524
		1.5	4/0	45 cm	<i>blue</i>	9151524-45
		1.5	4/0	75 cm	<i>blue</i>	9151524
		2	3/0	45 cm	<i>blue</i>	9201524-45
		2	3/0	75 cm	<i>blue</i>	9201524
		3	2/0	45 cm	<i>blue</i>	9301524-45
		3	2/0	75 cm	<i>blue</i>	9301524
		3.5	0	75 cm	<i>blue</i>	9351524
		4	1	75 cm	<i>blue</i>	9401524
		5	2	90 cm	<i>blue</i>	9501524
DS 24 mm Easy Pass		3	2/0	50 cm	<i>blue</i>	9301524P
DS 26 mm		2	3/0	45 cm	<i>blue</i>	9201526-45
		2	3/0	75 cm	<i>blue</i>	9201526
		3	2/0	45 cm	<i>blue</i>	9301526-45
		3	2/0	75 cm	<i>blue</i>	9301526
DS 30 mm		2	3/0	75 cm	<i>blue</i>	9201530
		3	2/0	75 cm	<i>blue</i>	9301530
		3.5	0	75 cm	<i>blue</i>	9351530
		4	1	75 cm	<i>blue</i>	9401530
DS 36 mm		2	3/0	75 cm	<i>blue</i>	9201536
		3	2/0	75 cm	<i>blue</i>	9301536
		3.5	0	75 cm	<i>blue</i>	9351536
		4	1	90 cm	<i>blue</i>	9401536-90
DS 40 mm		3	2/0	75 cm	<i>blue</i>	9301540
		3.5	0	75 cm	<i>blue</i>	9351540
		4	1	75 cm	<i>blue</i>	9401540
DS 45 mm		5	2	90 cm	<i>blue</i>	9501540
		3	2/0	100 cm	<i>blue</i>	9301545
DS 45 mm		4	1	75 cm	<i>blue</i>	9401545
		3	2/0	75 cm	<i>blue</i>	9301560
DS 60 mm		3.5	0	75 cm	<i>blue</i>	9351560
		3	2/0	100 cm	<i>blue</i>	9301590
DS 90 mm		3.5	0	100 cm	<i>blue</i>	9351590
		4	1	100 cm	<i>blue</i>	9401590

3/8 circle



Reverse cutting



			Metric	USP	Length	Color	Order number
1/2 Circle 	HS 17 mm		1.5	4/0	75 cm	blue	9151417
			2	3/0	75 cm	blue	9201417
	HS 22 mm		2	3/0	75 cm	blue	9201422
			2	3/0	75 cm	blue	9201426
	HS 26 mm		2	3/0	75 cm	blue	9201426
			3	2/0	75 cm	blue	9301426
	HS 30 mm		3.5	0	75 cm	blue	9351430
			3.5	0	75 cm	blue	9351436
	HS 36 mm		4	1	75 cm	blue	9401436
			5	2	75 cm	blue	9501436
3.5			0	75 cm	blue	9351440	
HS 40 mm		4	1	75 cm	blue	9401440	
		4	1	75 cm	blue	9401440	
HS 48 mm		4	1	100 cm	blue	9401448	

Cutting



Straight

GS 60 mm



	Metric	USP	Length	Color	Order number
GS 60 mm	2	3/0	75 cm	blue	9202160
	3	2/0	75 cm	blue	9302160

Cutting



3/8 Circle



NS 26 mm





NS 30 mm







NS 40 mm



	Metric	USP	Length	Color	Order number
NS 26 mm	2	3/0	75 cm	blue	9201726
NS 30 mm	3	2/0	75 cm	blue	9301730
NS 40 mm	3	2/0	75 cm	blue	9301740






Micro needle taper point 		Metric	USP	Length	Order number	
3/8 Circle 	MDR 3,8 mm 50µm	0.2	10/0	10 cm	<i>black</i>	MN102
	MDR 5,1 mm 70µm	0.01	12/0	10 cm	<i>black</i>	MN124
		0.1	11/0	10 cm	<i>black</i>	MN114
	MDR 3,8 mm 70µm	0.2	10/0	10 cm	<i>black</i>	MN104
		0.1	11/0	10 cm	<i>black</i>	MN113
	MDR 3,8 mm 100µm	0.2	10/0	15 cm	<i>black</i>	MN105
	MDR 5,1 mm 100µm	0.2	10/0	15 cm	<i>black</i>	MN106
		0.3	9/0	15 cm	<i>black</i>	MN096
MDR 6,4 mm 140µm	0.4	8/0	15 cm	<i>black</i>	MN087	
MDR 9,7 mm 200µm	0.5	7/0	45 cm	<i>black</i>	MN078	

Round bodied taper point double armed 		Metric	USP	Length	Order number	
1/4 Circle 	2 x VR 8 mm 220 µm	0.4	8/0	45 cm	<i>black</i>	ON81

Side cutting spatula double armed 		Metric	USP	Length	Order number	
1/2 Circle 	2 x HSP 6,2 mm 150 µm	0.2	10/0	30 cm	<i>black</i>	ON102
	2 x HSP 6,4 mm 220 µm	0.2	10/0	30 cm	<i>black</i>	ON106
	2 x HSP 8 mm 300 µm	0.7	6/0	45 cm	<i>black</i>	ON62

Side cutting spatula double armed




			Metric	USP	Length		Order number
3/8 Circle 	2 x DSP 6 mm 220 µm		0.2	10/0	30 cm	<i>black</i>	ON103
			0.1	11/0	20 cm	<i>black</i>	ON111
	2 x DSP 6,2 mm 150 µm		0.2	10/0	30 cm	<i>black</i>	ON101
			0.3	9/0	30 cm	<i>black</i>	ON95
			0.3	9/0	45 cm	<i>black</i>	ON95-45
			0.4	8/0	30 cm	<i>black</i>	ON85
			0.4	8/0	45 cm	<i>black</i>	ON85-45
			0.5	7/0	30 cm	<i>black</i>	ON75
	2 x DSP 6,4 mm 220 µm		0.2	10/0	30 cm	<i>black</i>	ON105
			0.2	10/0	38 cm	<i>black</i>	ON105-38
0.2			10/0	45 cm	<i>black</i>	ON105-45	
2 x DSP 8 mm 300 µm		0.7	6/0	45 cm	<i>black</i>	ON61	

Side cutting spatula



3/8 Circle




			Metric	USP	Length		Order number
DSP 6,2 mm 150 µm			0.2	10/0	15 cm	<i>black</i>	ON1011

Side cutting spatula double armed



1/4 Circle



			Metric	USP	Length		Order number
2 x VSP 8 mm 350 µm			1	5/0	45 cm	<i>black</i>	ON51