


DACLON NYLON

DACLON
NYLON



Type	Monofilament
Composition	Extrusion of polyamide 6.0 or 6.6
Coating	None
Colour	Blue Black
Tissue reaction	Minimal
Absorption	Non absorbable, gradually encapsulated by connective tissue. The thread mass diminishes, approximately 10% a year by rupture of chemical links (hydrolytic action).
Presentation	Box with 12 sutures

*For quality
&
safety*

smi

www.sutures.be

DACLON NYLON

CHARACTERISTICS

- ☑ High tensile strength, non absorbable
- ☑ Synthetic
- ☑ Monofilament with microscopic uniform diameter
- ☑ Pliability and softness
- ☑ Hermetically sealed packing

BENEFITS


- Excellent and permanent tissue support
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down
- Good handling properties
- Easy and secure knotting
- Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation

Daclon Blue
especially in Skin closure
 General surgery
 Plastic surgery
 Gastrointestinal surgery
 Gynaecology
 Obstetrics
 Orthopaedics

Daclon Black
especially in Plastic surgery
 Ophthalmic surgery

CONTRAINDICATIONS Cardiovascular surgery
 Neurosurgery
 Microsurgery



Round bodied taper point double armed

Metric

USP

Length

Order number

3/8 circle



2 x DR 6 mm



0.4

8/0

45 cm

black

5040206-2



Round bodied taper point

Metric

USP

Length

Order number

1/2 circle



HR 16 mm



1

5/0

75 cm

black

9100116

1.5

4/0

75 cm

blue

9150116

0.7

6/0

75 cm

black

9070120

HR 20 mm



1

5/0

75 cm

black

9100120

1.5

4/0

75 cm

blue

9150120

2

3/0

75 cm

blue

9200120

3

2/0

75 cm

blue

9300120

HR 26 mm



1.5

4/0

75 cm

blue

9150126

2

3/0

75 cm

blue

9200126

3

2/0

75 cm

blue

9300126

3.5

0

75 cm

blue

9350126

4

1

75 cm

blue

9400126

HR 30 mm



3

2/0

75 cm

blue

9300130

3.5

0

75 cm

blue

9350130

4

1

75 cm

blue

9400130

HR 37 mm



3

2/0

75 cm

blue

9300137

3.5

0

75 cm

blue

9350137

4

1

75 cm

blue

9400137

HR 40 mm



3

2/0

75 cm

blue

9300140

3.5

0

75 cm

blue

9350140

4

1

75 cm

blue

9400140

5

2

75 cm

blue

9500140

HR 50 mm



4

1

100 cm

blue

9400150







5

2

150 cm

blue

9500150

 Round bodied taper point loop	Metric	USP	Length	Order number
HR 30 mm 	3.5	0	150 cm	<i>blue</i> 9350930
	4	1	150 cm	<i>blue</i> 9400930
HR 35 mm 	3.5	0	150 cm	<i>blue</i> 9350935
	4	1	150 cm	<i>blue</i> 9400935
1/2 circle  HR 40 mm 	3.5	0	150 cm	<i>blue</i> 9350940
	4	1	150 cm	<i>blue</i> 9400940
HR 50 mm 	3.5	0	150 cm	<i>blue</i> 9350950
	4	1	150 cm	<i>blue</i> 9400950

Round bodied taper point double armed



Metric USP Length Order number

1/2 circle



2 x HR 65 mm

3 2/0 90 cm *blue* 9300165-2

Blunt

Metric USP Length Order number

1/2 circle











HRB 40 mm

4 1 75 cm *blue* 9401840



Reverse cutting












		Metric	USP	Length		Order number
DS 12 mm		0.5	7/0	75 cm	<i>black</i>	9051512
		0.7	6/0	75 cm	<i>black</i>	9071512
		1	5/0	75 cm	<i>black</i>	9101512
		1.5	4/0	75 cm	<i>blue</i>	9151512
DS 12 mm Easy Pass		0.7	6/0	50 cm	<i>black</i>	9071512P
		1	5/0	50 cm	<i>black</i>	9101512P
		1.5	4/0	50 cm	<i>blue</i>	9151512P
DS 16 mm		0.7	6/0	45 cm	<i>black</i>	9071516-45
		0.7	6/0	75 cm	<i>black</i>	9071516
		1	5/0	45 cm	<i>black</i>	9101516-45
		1	5/0	75 cm	<i>black</i>	9101516
		1.5	4/0	45 cm	<i>blue</i>	9151516-45
		1.5	4/0	75 cm	<i>blue</i>	9151516
DS 16 mm Easy Pass		0.7	6/0	50 cm	<i>black</i>	9071516P
		1	5/0	50 cm	<i>black</i>	9101516P
		1.5	4/0	50 cm	<i>blue</i>	9151516P
DS 16 mm black		1	5/0	75 cm	<i>black</i>	9101516VB
DS 19 mm		1	5/0	45 cm	<i>black</i>	9101519-45
		1	5/0	75 cm	<i>black</i>	9101519
		1.5	4/0	45 cm	<i>blue</i>	9151519-45
		1.5	4/0	75 cm	<i>blue</i>	9151519
		1.5	4/0	90 cm	<i>blue</i>	9151519-90
		2	3/0	45 cm	<i>blue</i>	9201519-45
		2	3/0	75 cm	<i>blue</i>	9201519
		2	3/0	90 cm	<i>blue</i>	9201519-90
DS 19 mm Easy Pass		1.5	4/0	50 cm	<i>blue</i>	9151519P
		2	3/0	50 cm	<i>blue</i>	9201519P
DS 19 mm black		1	5/0	75 cm	<i>black</i>	9101519VB
		1.5	4/0	75 cm	<i>blue</i>	9151519VB

3/8 circle

















Reverse cutting





		Metric	USP	Length		Order number
DS 24 mm		1	5/0	75 cm	<i>black</i>	9101524
		1.5	4/0	45 cm	<i>blue</i>	9151524-45
		1.5	4/0	75 cm	<i>blue</i>	9151524
		2	3/0	45 cm	<i>blue</i>	9201524-45
		2	3/0	75 cm	<i>blue</i>	9201524
		3	2/0	45 cm	<i>blue</i>	9301524-45
		3	2/0	75 cm	<i>blue</i>	9301524
		3.5	0	75 cm	<i>blue</i>	9351524
		4	1	75 cm	<i>blue</i>	9401524
		5	2	90 cm	<i>blue</i>	9501524
DS 24 mm Easy Pass		3	2/0	50 cm	<i>blue</i>	9301524P
DS 26 mm		2	3/0	45 cm	<i>blue</i>	9201526-45
		2	3/0	75 cm	<i>blue</i>	9201526
		3	2/0	45 cm	<i>blue</i>	9301526-45
DS 30 mm		3	2/0	45 cm	<i>blue</i>	9301526
		2	3/0	75 cm	<i>blue</i>	9201530
		3	2/0	75 cm	<i>blue</i>	9301530
DS 36 mm		3.5	0	75 cm	<i>blue</i>	9351530
		4	1	75 cm	<i>blue</i>	9401530
		2	3/0	75 cm	<i>blue</i>	9201536
DS 40 mm		3	2/0	75 cm	<i>blue</i>	9301536
		3	2/0	75 cm	<i>blue</i>	9301536
		3.5	0	75 cm	<i>blue</i>	9351536
		4	1	75 cm	<i>blue</i>	9401536
DS 45 mm		4	1	75 cm	<i>blue</i>	9401536-90
		4	1	90 cm	<i>blue</i>	9401536-90
		3	2/0	75 cm	<i>blue</i>	9301540
DS 60 mm		3.5	0	75 cm	<i>blue</i>	9351540
		4	1	75 cm	<i>blue</i>	9401540
		5	2	90 cm	<i>blue</i>	9501540
DS 90 mm		3	2/0	100 cm	<i>blue</i>	9301545
		4	1	75 cm	<i>blue</i>	9401545
DS 90 mm		3	2/0	75 cm	<i>blue</i>	9301560
		3.5	0	75 cm	<i>blue</i>	9351560
		3	2/0	100 cm	<i>blue</i>	9301590
DS 90 mm		3.5	0	100 cm	<i>blue</i>	9351590
		4	1	100 cm	<i>blue</i>	9401590

3/8 circle



Reverse cutting		Metric	USP	Length	Order number
1/2 circle 	HS 17 mm 	1.5	4/0	75 cm	<i>blue</i> 9151417
		2	3/0	75 cm	<i>blue</i> 9201417
	HS 22 mm 	2	3/0	75 cm	<i>blue</i> 9201422
	HS 26 mm 	2	3/0	75 cm	<i>blue</i> 9201426
		3	2/0	75 cm	<i>blue</i> 9301426
	HS 30 mm 	2	3/0	90 cm	<i>blue</i> 9201430
		3	2/0	90 cm	<i>blue</i> 9301430
	HS 36 mm 	3.5	0	75 cm	<i>blue</i> 9351430
		3	2/0	75 cm	<i>blue</i> 9301436
		3.5	0	75 cm	<i>blue</i> 9351436
	HS 40 mm 	4	1	75 cm	<i>blue</i> 9401436
		5	2	75 cm	<i>blue</i> 9501436
	HS 48 mm 	3.5	0	75 cm	<i>blue</i> 9351440
		4	1	75 cm	<i>blue</i> 9401440
HS 48 mm 	4	1	100 cm	<i>blue</i> 9401448	

Cutting		Metric	USP	Length	Order number
Straight 	GS 60 mm 	2	3/0	75 cm	<i>blue</i> 9202160
		3	2/0	75 cm	<i>blue</i> 9302160
	GS 75 mm 	3	2/0	75 cm	<i>blue</i> 9302175

Cutting		Metric	USP	Length	Order number
3/8 circle 	NS 26 mm 	2	3/0	75 cm	<i>blue</i> 9201726
	NS 30 mm 	3	2/0	75 cm	<i>blue</i> 9301730
	NS 40 mm 	3	2/0	75 cm	<i>blue</i> 9301740



Micro needle taper point


Metric

USP

Length

Order number

3/8 circle



MDR 3.8 mm 70 µm		0.1	11/0	10 cm	<i>black</i>	MN113
		0.2	10/0	10 cm	<i>black</i>	MN103
MDR 3.8 mm 100 µm		0.1	11/0	10 cm	<i>black</i>	MN112
		0.2	10/0	15 cm	<i>black</i>	MN105
		0.3	9/0	15 cm	<i>black</i>	MN094
MDR 5.1 mm 70 µm		0.2	10/0	10 cm	<i>black</i>	MN104
		0.2	10/0	15 cm	<i>black</i>	MN106
MDR 5.1 mm 100 µm		0.3	9/0	15 cm	<i>black</i>	MN096
		0.2	10/0	15 cm	<i>black</i>	MN1011
MDR 6.4 mm 140 µm		0.3	9/0	15 cm	<i>black</i>	MN098
		0.4	8/0	15 cm	<i>black</i>	MN087
		0.5	7/0	45 cm	<i>black</i>	MN078