


STEEL

MONOFILAMENT



Type	Monofilament
Composition	Iron, nickel and chromium alloy
Coating	None
Colour	Metal
Tissue reaction	Minimal
Absorption	Non absorbable
Presentation	Box with 12 sutures



*For quality
&
safety*

The SMI logo, consisting of the lowercase letters 'smi' in a bold, blue, rounded font with a white outline.

www.sutures.be

STEEL

MONOFILAMENT

CHARACTERISTICS

- ✓ High tensile strength, non absorbable
- ✓ Synthetic
- ✓ Ductile and malleable
- ✓ Monofilament with microscopic uniform diameter

- ✓ Hermetically sealed packing

BENEFITS





- Excellent and permanent tissue support
- Minimal tissue reaction
- Good handling properties
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down

- Guaranteed seal and product sterility


INDICATIONS Closure of sternum
Orthopaedics
Abdominal wall closure
and hernia repair


CONTRAINDICATIONS Known sensitivities or allergies to stainless or metals such as chromium and nickel



Round bodied taper cutting point  **Metric** **USP** **Length** **Order number**

		Metric	USP	Length	Order number
1/2 Circle 	HRT 40 mm 	6	3&4	4 x 45 cm	ST45
	HRT 48 mm 	7	5	4 x 45 cm	ST55
		8	6	4 x 45 cm	ST65
HRT 54 mm 	7	5	1 x 75 cm	ST54	

Reverse cutting  **Metric** **USP** **Length** **Order number**

		Metric	USP	Length	Order number
1/2 Circle 	HS 25 mm 	3.5	0	4 x 45 cm	ST01
	HS 40 mm 	4	1	4 x 45 cm	ST11
		5	2	4 x 45 cm	ST21
	HS 48 mm 	6	3&4	4 x 45 cm	ST41
		9	7	4 x 45 cm	ST71
	HS 50 mm 	7	5	1 x 75 cm	ST53
		7	5	4 x 45 cm	ST51
		8	6	4 x 45 cm	ST61
HS 58 mm 	7	5	4 x 45 cm	ST52	
	8	6	4 x 45 cm	ST62	

Cutting  **Metric** **USP** **Length** **Order number**

		Metric	USP	Length	Order number
1/2 Circle 	NH 48 mm 	7	5	4 x 45 cm	ST56
		8	6	4 x 45 cm	ST63
		9	7	4 x 45 cm	ST72

STEEL

MONOFILAMENT

IN CASSETTES

Metric	USP	Length	Order number
1	5/0	50 m	10010
1.5	4/0	50 m	10015
2	3/0	50 m	10020
3	2/0	50 m	10030
3.5	0	50 m	10035
4	1	50 m	10040

